



# HUSKY®

## Portable Containment



# FIRE FIGHTING PRODUCT LINE

Family-Owned Business Since 2004

**Lifetime Warranty**  
On All Welds and Welded Seams

**HUSKYPORTABLE.COM**  
**(800) 260-9950**





# Folding Frame Tanks

## Firefighter tested and approved!

Husky® Portable Containment continues to set the bar for the folding frame tank and related industry. Our design teams efforts towards new innovations in the water shuttle arena of products is ongoing and never ending. We listen to our customers and bring forth the easiest to use, most durable and safest products on the market! Call Husky® today!



At Husky® Portable Containment, our goal is to manufacture the highest quality, safest, and most durable products available on the market today. With countless years of experience in the portable water tank industry and many years designing new products and features, Husky® has the knowledge and technology to custom design and manufacture products to our customer's specifications and our expanded facility allows us to quickly meet your needs.

Quality and customer satisfaction is always our number one concern. We stand behind our products and offer a lifetime warranty on all welds and welded seams. Whether it's a custom application, new products, or from our standard product line, Husky®'s quality and service is what you would expect from a leading manufacturer. We can be reached 24 hours a day, seven days a week and 365 days a year!

We can be reached  
24/7 • 365/year

Available on  
GSA



**Easy Lift Handles**  
(US Patent 8,746,478 and  
US Patent 10,518,967)

## Classic Husky® Portable Folding Frame Water Tanks

### Quick, Collapsible Water Containment Drop Tanks

It is incredibly easy to set up a Husky® Folding Frame Water Tank. Draining and storing it is just as easy especially with our **Easy Lift Handles** (US Patent 8,746,478 & US Patent 10,518,967) and **Quick-Release Drain Tube**.

### The Best Portable Water Tank on the Market Exclusive Features

- ✓ Exclusive Easy Lift Handles on the floor of our liner (US Patent 8,746,478 & US Patent 10,518,967) make our Folding Frame Tank the easiest and quickest to fold and permits easy removal of any standing water.
- ✓ Pinch-free frame is designed with safety in mind!
- ✓ Husky® duty floor made of acrylic-coated 28 oz. PVC is soft, pliable and foldable.
- ✓ Quick Release Drain Sleeve eliminates fighting with ropes.
- ✓ Our Double Folding Frame Tanks can be stored in half the space!
- ✓ Our Quick Dump (US Patent No. 8,733,589) option saves you time!
- ✓ Replacement frames, steel or aluminum.
- ✓ Replacement liners, all materials available.
- ✓ Offered with our patented EXLON® material.




**Pinch-Free Frame**

Husky® Portable Containment builds all kinds of custom and specialty tanks, not only for firefighting, but other industries including portable baptism tanks, kids day fishing tanks, wash down tanks, oil spill clean up tanks and many more. Call Husky® for your custom tank today!



# Folding Frame Tanks

## Steel Frames or Aluminum Frames



Radius Corners



Heavy Duty Hinges

**Lifetime Warranty**  
On All Welds and Welded Seams

**Made in the U.S.A.**

Our frame materials were carefully chosen to give the best strength yet keep the weight to a minimum. Our aluminum frame material is specially designed with radius corners to help protect the liner rope, the liner and the firefighters' hands. All Husky® frames are pinch free!

### Steel Frame

- ✓ 7/8" od., 14 guage round tube steel (HREW P&O)
- ✓ Superior heavy duty laser cut hinges
- ✓ MIG welded construction, guaranteed
- ✓ Available in 3/4" x 3/4" 14 guage square tube steel
- ✓ High quality PPG paint used for finish (Gloss Black)
- ✓ Folds down to 7"



### Aluminum Frame

- ✓ 1" x 1" x 1/8" 6061 square tube aluminum with radius corners
- ✓ Superior heavy duty laser cut hinge
- ✓ Approximately 25% weight savings over steel
- ✓ Aluminum MIG welded construction, guaranteed
- ✓ Available in round tube schedule 40 6061-T6 aluminum
- ✓ Folds down to 7 1/2"



Tank Size	Open	Folded	Double Folded - opt.	Steel	Aluminum
ALF-500 gallon	5'8" x 5'8" x 29"	7 1/2" x 5'8" x 29"	16" x 2'11" x 29"	90 lbs.	68 lbs.
ALF-750 gallon	7'0" x 7'0" x 29"	7 1/2" x 7'0" x 29"	16" x 3'7" x 29"	97 lbs.	79 lbs.
ALF-1000 gallon	8'3" x 8'3" x 29"	7 1/2" x 8'3" x 29"	16" x 4'3" x 29"	116 lbs.	96 lbs.
ALF-1500 gallon	10'3" x 10'3" x 29"	7 1/2" x 10'3" x 29"	16" x 5'3" x 29"	138 lbs.	109 lbs.
ALF-2100 gallon	11'3" x 11'3" x 29"	7 1/2" x 11'3" x 29"	16" x 5'9" x 29"	154 lbs.	124 lbs.
ALF-2500 gallon	12'3" x 12'3" x 29"	7 1/2" x 12'3" x 29"	16" x 6'3" x 29"	169 lbs.	135 lbs.
ALF-3000 gallon	13'3" x 13'3" x 29"	7 1/2" x 13'3" x 29"	16" x 6'9" x 29"	185 lbs.	149 lbs.
ALF-3500 gallon	14'3" x 14'3" x 29"	7 1/2" x 14'3" x 29"	16" x 7'3" x 29"	205 lbs.	167 lbs.
ALF-4000 gallon	15'3" x 15'3" x 29"	7 1/2" x 15'3" x 29"	16" x 7'9" x 29"	223 lbs.	178 lbs.
ALF-5000 gallon	17'3" x 17'3" x 29"	7 1/2" x 17'3" x 29"	16" x 8'9" x 29"	269 lbs.	215 lbs.

\* STF Represents Steel Frame (Folded to 7" W). Call for Shipping Weights.

## Lifetime Warranty on all Welds and Welded Seams

Husky® Portable Containment was the first portable tank company in the fire equipment industry to offer a lifetime warranty on all welds and welded seams on Husky® firefighting products.

Quality is not just a word at Husky®, it is the foundation on which we build our business. We want you to know that when you buy a Husky® Portable Tank, you are purchasing a product that is built to last a lifetime. Husky® will repair or replace any tank if a seam or weld comes apart or breaks. You can feel secure and safe with your portable tanks. Put a Husky® on your team today!

For more information, read the Husky® full product warranty at [HuskyPortable.com](http://HuskyPortable.com)





# Folding Frame Tanks

Standard Feature!



## Superior Liners

**Husky's Port-a-Tank liners** are designed so there are no bulky corners or sagging liner. Our manufacturing process allows us to use one continuous piece of material for the side panel, which is then welded to our **Husky-Duty Floor Material**. We also install solid brass grommets in a tight pattern, alleviating any liner drooping at the frame. These features create the best fitting, most durable liner available.

## Material Options

- ✓ **Vinyls:** All 22 oz. , 22 oz. sides with our exclusive 28 oz. floor, and 30 oz. 22 oz.: Red, Yellow, Blue, Orange, Green, White, Black, and **Lime Green**  
30 oz.: Red, Yellow, Blue, Orange and Black
- ✓ **EXLON®:** 22oz.: Red and Yellow. Best 22oz. liner material on the market!
- ✓ **Potable NSF 61 Approved:** 30 oz.,: Marine, Blue, Black

## Features

- ✓ Husky® vinyl liners come standard with a 22oz. vinyl side & heavy duty 28 oz. floor
- ✓ Exclusive **Easy Lift Handles** mounted on the floor of our tanks (US Patent 8,746,478 & US Patent 10,518,967)
- ✓ Two drain tubes are standard on 2500 gallon and up
- ✓ #4 solid brass grommets & all hems are double stitched & triple reinforced
- ✓ 10" drain tube with quick release for fast draining or mating with another tank
- ✓ Replacement liners guaranteed to fit your existing frame
- ✓ Clear view panel liner (optional) includes a 12" wide heavy-duty, reinforced clear vinyl panel that allows you to easily view water level from any angle
- ✓ Patch kits available for any liner material
- ✓ Optional cinch straps keeps your folding frame tank tightly folded for storage
- ✓ **Reflective Edge®** hem (optional)

## Economical

Our unique manufacturing process on our frame tank vinyl liners enable us to use a Husky® 28 oz. material for the base, creating the **Most Economical Durable Liner on the Market Today!** Our liners are constructed from the finest materials available.

Standard Feature!




## Easy Lift Handles

(US Patent 8,746,478  
& and US Patent 10,518,967)



At Husky® Portable Containment, we work hard — and we know you do, too. **Husky's Easy Lift Handles** (US Patent 8,746,478 & US Patent 10,518,967) make your job easier. With our heavy-duty handles attached to the floor of our folding tanks, tank tear-down not only takes less effort, but also saves valuable time and manpower. You can be assured that our Easy Lift Handles are made with the same attention to quality and durability that makes Husky® famous. All of our Folding Frame Tanks come equipped standard with Easy Lift Handles, another way we offer the best value available in a portable folding frame tank.



Standard Feature!

## Pinch-Free Frame

**Husky® Pinch-Free Frames** are designed with safety in mind for firefighters. All Husky® Folding Frame Tanks come standard with this feature. Husky® frames will not pinch your fingers or hands in the folding area of the frame. Feel the confidence to know you can quickly deploy your portable tank without risking injury. There are no bulky add-on pieces to get in the way or get pinched with.

Comes in steel or aluminum! Firefighter tested and approved!





# Folding Frame Tanks

## Standard Feature!



## Quick Release Drain Tube

At Husky®, we are always searching for the best way to improve our already awesome products. One of our latest innovations is with **Husky® Drain Tubes**. We have changed the drain tube buckle from a USA-made plastic buckle to a stainless steel version that is much stronger and easier to use. This buckle is great with the elements and has superb holding strength.

**Husky® Drain Tubes** are also available in 14" and 18" diameters for quicker draining.



## Optional

## The Reflective Edge® Liner Hem

Husky® Portable Containment has designed a new liner option for our folding frame tanks. This new liner called **The Reflective Edge®** has a reflective top hem that will help firefighters see the tank more easily at night. When any light is shining its way, it will act just as reflective lettering does and become very visible. It is easy for your tank to disappear in the night and in the heat of the moment, drivers have accidentally backed into the tank, destroying it. Help your driver and save your tank by using The Reflective Edge® Liner by Husky®!

The Reflective Edge® Liner comes in any material options or liner options we offer.

The Reflective Edge® can be installed on your existing Husky® liner but it will have to be shipped to our factory for the installation.

[www.huskyportable.com](http://www.huskyportable.com)

## Optional



## Quick Dump

**Husky®'s Quick Dump** (US Patent 8,733,579) is the answer for getting your folding frame tanks emptied quickly when the fire scene is in its tear down stages. Just release the two D-rings and flip the latch and watch your tank drain quickly.

## Double the Convenience

The combination of our **Easy Lift Handles** mounted to the floor of our tank (US Patent 8,746,478 & US Patent 10,518,967) and our **Quick Dump** (US Patent 8,733,579) make Husky® Folding Frame Tanks the only answer to quick tear down and storage of your tanks after fighting a fire or a long day of training. Get your tank on the truck quick with Husky® Portable Containment's Quick Dump.

## Features

- ✓ Drain an average size tank in 20-30 seconds
- ✓ Available in steel or aluminum frames
- ✓ Available in vinyl or EXLON®
- ✓ All stainless steel latching hardware
- ✓ Backed by Husky®'s lifetime warranty on all welds and welded seams
- ✓ Easy to use
- ✓ Firefighter trusted Husky® quality

**SEE IT  
IN ACTION**  
Visit  
[HuskyPortable.com](http://HuskyPortable.com)

## Material Option

## Exlon

Husky®'s new **EXLON®** high performance liner material is a direct replacement for the discontinued DuPont Hypalon. **EXLON®** has all the qualities and more to replace Hypalon. **EXLON's®** advantages are high UV resistance, high abrasion resistance, chemical resistance and strength. For the ultimate folding frame tank liner choose **Husky®'s EXLON®**.

(800) 260-9950 • (918) 333-2000

# Folding Frame Tanks



Leading Edge® Tank (patent pending) folded to a Skinny® Tank



## Leading Edge® Tank (Patent Pending)

Husky's new Leading Edge® Tank (patent pending) is the multipurpose tank of the future. The LE Tank is built as a standard size folding frame tank in size that can be transformed into a Skinny® Tank. We have designed a new frame that will allow you to take any size folding frame tank and partially fold one side creating a more narrow tank that gives more options for set-up including back roads, which will allow traffic to pass without driving in the ditch. The good news is there is no assembly! It works just like a standard folding frame tank, but folds one more time. If you do not need the narrow-style tank, keep it as a full-size folding frame tank. You get the best of both tanks in one easy-to-use tank. All accessories that are offered with the Skinny® Tank are available for the Leading Edge® Tank. Have the best options in the field, buy a new Husky® Leading Edge® Tank.

**LIFETIME WARRANTY**  
On All Welds and Welded Seams

Featuring our Patented **EASY LIFT HANDLES**

Part No.	Open (Standard)	Open (Skinny™)	Folded	Capacity	Alum.	Steel
LESTF-1500	10'3" x 10'3" x 29"	10'3" x 8' x 29"	10'3" x 7" x 29"	1450 Gal.	114 lbs.	143 lbs.
LESTF-2000	11'3" x 11'3" x 29"	11'3" x 8' x 29"	11'3" x 7" x 29"	1620 Gal.	129 lbs.	159 lbs.
LESTF-2500	12'3" x 12'3" x 29"	12'3" x 8' x 29"	12'3" x 7" x 29"	1750 Gal.	140 lbs.	174 lbs.
LESTF-3000	13'3" x 13'3" x 29"	13'3" x 8' x 29"	13'3" x 7" x 29"	1900 Gal.	154 lbs.	190 lbs.
LESTF-3500	14'3" x 14'3" x 29"	14'3" x 8' x 29"	14'3" x 7" x 29"	2050 Gal.	172 lbs.	210 lbs.

\* LESTF Represents Steel Frame, LEALF Represents Aluminum Frame

## Skinny® Tank

Husky® Portable Containment Skinny® Tank is a folding frame tank with a narrow design. It gives you more options for where you can set up your dump tank. If you are on a narrow or one-lane road, the 8' wide Skinny® Tank allows access for your apparatus to get around the tank and not be forced into the ditch. It also gives better options in areas such as wooded spots with limited space.



We can build your Skinny® Tank to the best dimensions that work for you including a double-fold Skinny® Tank. An example of another possible size is 9' x 13', 8' x 15' that gives you a 2100 gal. capacity. Or, make the Skinny® Tank taller to gain more capacity, such as 30", 32", 34" and even 36" tall. Be sure to measure your Portable Tank Rack for the maximum size that will work.

Part No.	Open	Folded	Alum.	Steel
STFST-2000	8' x 14' x 29"	14' x 7" x 29"	129 lbs.	159 lbs.
ALFST-2000	8' x 14' x 29"	14' x 7" x 29"	129 lbs.	159 lbs.

We can build your **SKINNY TANK** to the dimension that works for you!

## Leading Edge® Tank & Skinny® Tank Accessories


- ✓ 4", 4.5", 5" & 6" male/female flange kit. This allows a hard suction hook up on the outside of the tank with a low level strainer hooked up on the inside.
- ✓ 90 degree elbow with 4", 4.5", 5" & 6" male/female ends.
- ✓ 10' hard suction hose sections, 4", 4.5", 5" & 6" male and female fittings.
- ✓ Low level strainer, 4", 4.5", 5" & 6" sizes. Comes with 1.5" jet siphon. (Call for details)
- ✓ Flange mounting plate

# Folding Frame Tanks

## Husky® Portable Tank Racks

### Features

- ✓ All sizes
- ✓ Manually operated
- ✓ Easy to install, bolts right in
- ✓ Diamond plate windbreaks (optional)
- ✓ Stainless steel “T” button handles or vertical toggle lock clamps
- ✓ All stainless steel construction
- ✓ Aluminum racks available



Part No.	Size	SS Weight	Alum Weight
PTR-1000	1000 Gallon Tank Rack	46 lbs.	33 lbs.
PTR-1500	1500 Gallon Tank Rack	48 lbs.	35 lbs.
PTR-2100	2100 Gallon Tank Rack	49 lbs.	36 lbs.
PTR-2500	2500 Gallon Tank Rack	50 lbs.	42 lbs.
PTR-3000	3000 Gallon Tank Rack	51 lbs.	44 lbs.
PTR-3500	3500 Gallon Tank Rack	52 lbs.	45 lbs.
PTR-4000	4000 Gallon Tank Rack	53 lbs.	48 lbs.
PTR-5000	5000 Gallon Tank Rack	55 lbs.	50 lbs.

\* An “A” after the size represents Aluminum



## The PRO500®

Husky Portable Containment has designed a new Folding Frame Tank liner called the “PRO500®”, patent pending. The PRO500® is designed with mega capacity in mind. There are specially designed “bladders” that are welded to the side walls of the liner that, when deployed, will add approximately 500-1000 gallons of much-needed capacity to the original size of your tank.

In addition to the capacity gain, the big advantage of the PRO500® liner is it will fit your existing frame, guaranteed. Just purchase the liner, install it in your frame and have the extra capacity you need. The PRO500® liner can be customized by adding bladders or making the existing bladders bigger. If you have a 2000 gallon tank and want 2500-2600 gallons capacity look no further than the PRO500®.

### Features

- ✓ Fits in your standard tank rack and any standard frame including our Skinny® Tank, which works great on one-lane back roads!
- ✓ No need to remove frame uprights with PRO500® liner
- ✓ Minimal setup - unfold, unhook & go!
- ✓ Bladders can be deployed and folded by just one person!
- ✓ On a slope? No problem! Bladders will not cause PRO500® to roll over!
- ✓ Need more gallons? Deploy as many bladders as needed or use as a regular tank.
- ✓ The PRO500® bladders can be custom sized. Bladders can be added and made of different sizes.
- ✓ Manageable weight. Our 22 oz. vinyl liner only adds 22 lbs to the tank weight and the 30 oz. vinyl adds 30 lbs.



## Double Folding Frame Tank

Husky® offers **Double Folding Frame Water Tanks** for the end user that has limited storage space. These unique frame tanks have a second folding point on the long side of the frame allowing you to fold the frame tank one more time cutting the overall length in half. Just pull the special heavy duty pins from the laser-cut hinges and fold your tank again. The pins are secured to the frame to assure they will not be lost!

Husky® Folding Water Tanks include our exclusive Easy Lift Handles (US Patent 8,746,478 & US Patent 10,518,967 ) and Quick-Release Drain Tube, making Husky® the easiest to handle folding water tank on the market.



# Self Supporting Tanks

## Self Supporting Tanks

**Husky® Self Supporting Tanks** are the perfect solution when storage and manpower are a concern. Self Supporting Tanks are a frameless portable water tank that can be quickly set up and filled by one firefighter. Husky®'s open top Self Supporting Tanks are designed to be used as a dump tank or filled from the supplied coupling mounted in the tank. They are also designed to work better on slopes than any other open top tank on the market. Our Self Supporting Tanks are manufactured to meet the most stringent quality control standards.

### Features

- ✔ Heavy duty foam collar (self rising)
- ✔ Heavy duty air collar (self rising)
- ✔ Low Side (LS) & High Side (HS) models
- ✔ Heavy duty 28 oz. floor, standard
- ✔ 2 1/2" NH (NST) female flange standard
- ✔ 1 1/2" - 6" flanges available, male or female
- ✔ Flanges are made from 6061-T6 aluminum
- ✔ Ground covers & top
- ✔ Covers available
- ✔ Storage bag included
- ✔ 6000 gal. and up tanks are built with 40 oz. PVC for the strongest Self Supporting Tanks available

### Material Options

- ✔ **Vinyls:** 22 oz. side panels with 28 oz. Floor / All 30 oz.  
22 oz.: Red, Yellow, Blue, Orange, Green, White, Black, and **Lime Green**  
30 oz.: Red, Yellow, Blue, Orange and Black  
40 oz. Orange and Black
- ✔ **EXLON®:** 22oz.: Red and Yellow



Part No.	Base Diameter	Top Diameter	Height Filled
HS-10000	20'6"	13'6"	72"
HS-14000	23'9"	16'9"	72"
HS-20000	27'9"	20'9"	72"



**Low Side & High Side Models**



Wide variety of fittings to offer from Storz fittings to Camlock fittings

### Accessories

- ✔ 4", 4.5", 5" & 6" male/female flange kit. This allows a hard suction hook up on the outside of the tank with a low level strainer hooked up on the inside.
- ✔ 90 degree elbow with 4", 4.5", 5" & 6" male/female ends.
- ✔ 10' hard suction hose sections, 4", 4.5", 5" & 6" male and female fittings.
- ✔ Low level strainer, 4", 4.5", 5" & 6" sizes. Comes with 1.5" jet siphon. (Call for details)

### The Reflective Edge®

Our latest Self Supporting Tank option is the **The Reflective Edge®**. It has a reflective top hem that will help firefighters see the tank easier at night. Read more about it on page 5 of this brochure.





## Self Supporting Tank Specs (250 Gal. – 20,000 Gal and Custom Sizes)

Tank Part No. Gal. (liters)	Base Diameter Std. / Meters	Top Diameter Std. / Meters	Height Filled Std. / Meters	Weight lbs. / kg.	Approximate Folded Dimensions Std. / Meters
* LS-250 (946)	5' 10" / 1.8	3' 7" / 1.1	28" / .7	27 / 12.3	22" x 22" x 16" / .6 x .6 x .4
* LS-500 (1893)	7' 0" / 2.2	4' 10" / 1.5	33" / .8	39 / 17.7	25" x 25" x 18" / .7 x .7 x .5
* LS-1000 (3785)	9' 6" / 2.9	6' 11" / 2.1	33" / .8	54 / 24.5	25" x 25" x 22" / .7 x .7 x .6
* LS-1500 (5678)	11' 8" / 3.6	8' 8" / 2.7	33" / .8	67 / 30.4	28" x 28" x 22" / .8 x .8 x .6
LS-2000 (7570)	13' 0" / 4.0	10' 0" / 3.1	33" / .8	75 / 34	30" x 30" x 22" / .8 x .8 x .6
LS-2500 (9463)	14' 4" / 4.4	11' 2" / 3.4	33" / .8	84 / 38	34" x 34" x 22" / .9 x .6
LS-3000 (11355)	15' 8" / 4.8	12' 3" / 3.7	33" / .8	99 / 45	34" x 34" x 24" / .9 x .9 x .7
LS-3500 (13248)	17' 0" / 5.2	13' 2" / 4	33" / .8	105 / 47.6	36" x 36" x 24" / .9 x .9 x .7
LS-4000 (15140)	18' 0" / 5.5	14' 2" / 4.3	33" / .8	114 / 51.7	38" x 38" x 24" / 1 x 1 x .7
LS-5000 (18925)	19' 8" / 6.0	15' 10" / 4.8	33" / .8	125 / 56.7	38" x 38" x 28" / 1 x 1 x .7
LS-6000 (22710)	21' 6" / 6.6	17' 8" / 5.4	33" / .8	143 / 64.9	38" x 38" x 32" / 1 x 1 x .8
LS-10000 (37850)	26' 9" / 8.2	22' 11" / 7.0	33" / .8	200 / 90.1	42" x 42" x 36" / 1.1 x 1.1 x .9
* HS-500 (1893)	6' 9" / 2.1	4' 0" / 1.2	40" / 1.0	39 / 17.7	25" x 25" x 18" / .6 x .6 x .4
* HS-1000 (3785)	8' 6" / 2.6	5' 6" / 1.7	44" / 1.1	54 / 24.5	25" x 25" x 22" / .7 x .7 x .5
* HS-1200 (4542)	9' 8" / 3.0	5' 10" / 1.8	44" / 1.1	59 / 26.8	26" x 26" x 22" / .7 x .7 x .6
* HS-1600 (6056)	10' 8" / 3.3	6' 10" / 2.1	44" x 1.1	67 / 30.4	28" x 28" x 22" / .8 x .8 x .6
* HS-1800 (6813)	11' 3" / 3.4	7' 0" / 2.2	46" / 1.2	72 / 32.7	30" x 30" x 22" / .8 x .8 x .6
* HS-2000 (7570)	11' 10" / 3.6	7' 8" / 2.4	48" / 1.2	75 / 34	30" x 30" x 22" / .8 x .8 x .6
HS-2500 (9463)	12' 10" / 3.9	8' 4" / 2.6	48" / 1.2	84 / 38	34" x 34" x 22" / .9 x .9 x .6
HS-3000 (11355)	14' 6" / 4.4	9' 0" / 2.8	48" / 1.2	99 / 45	34" x 34" x 24" / .9 x .9 x .7
HS-4000 (15140)	16' 6" / 5.0	10' 10" / 3.3	48" / 1.2	114 / 51.7	38" x 38" x 24" / 1 x 1 x .7
HS-5000 (18925)	16' 6" / 5.0	10' 2" / 3.1	60" / 1.5	125 / 56.7	38" x 38" x 28" / 1 x 1 x .7
HS-6000 (22710)	17' 10" / 5.4	11' 4" / 3.5	60" / 1.5	185 / 85	38" x 38" x 36" / 1.1 x 1 x .9
HS-8000 (30280)	18' 2" / 5.5	11' 10" / 3.6	70" / 1.8	230 / 104	40" x 40" x 34" / 1 x 1 x .9
HS-10000 (37850)	20' 6" / 5.9	13' 6" / 3.7	72" / 2.0	299 / 135	42" x 42" x 36" / 1.1 x 1.1 x .9
HS-14000 (52990)	23' 9" / 6.6	16' 9" / 4.2	72" / 2.3	368 / 167	44" x 44" x 40" / 1.1 x 1.1 x 1
HS-20000 (75700)	27' 9" / 7.9	20' 9" / 4.8	72" / 2.4	499 / 226	48" x 48" x 48" / 1.2 x 1.2 x 1.2

\*Can ship by UPS

LS (low side) models are used for Fire Departments & Municipalities.

HS (high side) models are designed for use for the U.S. Forestry Department and bucket dipping operations.

## Exlon

Husky®'s new revolutionary material **EXLON®** is now available for Self Supporting Tanks! EXLON® is a direct replacement for Hypalon. Hypalon has been discontinued by DuPont and is no longer available. Now, get the same high performance material in your Self Supporting Tanks as in your Folding Frame Tanks. Don't settle for less! For the ultimate Self Supporting Tank choose EXLON®.

Featuring our Patented **EASY LIFT HANDLES**



## Husky® Hard Suction Hose Stand

### Features

- ✓ Aluminum and lightweight steel construction
- ✓ Adjust from 26" - 42" in height
- ✓ Base size deployed, 17" x 17"
- ✓ Collapsed size, 17" x 3" x 30"
- ✓ Can be used inside or outside the tank
- ✓ 13 lbs. total weight
- ✓ Rubber protected feet
- ✓ Opens in one motion
- ✓ No pins or snaps
- ✓ Locks in place in one turn

# Tarps & Covers

## Husky® Covers

Husky® Portable Containment has set the bar for salvage cover durability, strength and workmanship. Our 10 oz. material is unmatched in the salvage cover market and is NFPA 701 certified fire resistant. The base fabric or scrim has a **Rip Stop** quality that eliminates tearing.

## Salvage Covers, Hall Runners and Ground Covers

Registered and approved by the California State Fire Marshall, our materials are equal to or exceed CSFM, NFPA 701 – Test 1 (Small Scale), NFPA 701 – Test 2 (Large Scale), CPAI-84, and NYC MEA. The flame retardant process used will NOT be removed by washing and is effective for the life of the fabric.

### Material Options

- ✓ **Vinyls:** 10 oz., 18 oz., 22 oz., 30 oz., 40 oz.  
10 oz.—22 oz.: Red, Yellow, Blue, Orange, Green, White, Black, and **Lime Green** (18 oz. and 22 oz. vinyl)  
30 oz.: Red, Yellow, Blue, Orange and Black  
40 oz.: Orange and Black
- ✓ **EXLON®:** 22 oz.: Red and Yellow
- ✓ **OD Canvas:** 12 oz.: Olive Drab
- ✓ **Natural Canvas:** 12 oz.: Off White and White (this canvas is untreated)

### Features

- ✓ All hems are doubled stitched and triple reinforced
- ✓ #4 solid brass grommets
- ✓ Our exclusive “Husky® Duty” 10 oz. vinyl. **Match Our 10oz. With Any Others On The Market And You Will See Our Superior Quality.**
- ✓ Flame resistant, NFPA 701 Approved material
- ✓ Rip Stop base fabric eliminates tearing

**STANDARD SIZES, 9x12, 12x12, 12x14, 12x18, 14x18, 16x16, 20x20, CUSTOM SIZES AVAILABLE**

Available on



We can be reached 24/7 • 365/year



No Tarp Too Big or Too Small

Custom Sizes Available!





## Hose Bed Covers and Cross Lay Covers



### Features

- ✓ Hardware options for securing your cover to your truck: turn buttons, shock cord with supplied hooks, hook and loop (Velcro), button snaps, Lift The Dot fasteners
- ✓ Reflective lettering and numbering
- ✓ Husky®'s new "Chevron" design for Hose Bed Covers (NFPA Reg.)
- ✓ Chain-weighted drops or buckles and straps
- ✓ Velcro flaps for fill box
- ✓ Our exclusive EXLON® material has exceptional UV and abrasion resistance

### Material Options

- ✓ **Vinyls:** 22 oz., 30 oz.  
Red, Yellow, Blue, Orange, Green, White, Black, and **Lime Green** (18 oz. and 22 oz. vinyl)
- ✓ **EXLON®:** 22 oz.: Red and Yellow

## Staging Mats, SCBA Tarps, RIT Tarps, Triage Tarps

EES mats are a three piece tarp that has an SCBA "full / empty" section (ribbed), rescue tool section, and an RIT section. They can be used as one complete tarp or separated into individual tarps.

- ✓ Emergency Equipment Staging Mats (EES Mats), 18 oz vinyl, Small Scene (6' x 10') Part No—EESM-SS, Large Scene (10' x 12'). Part No—EESM-LS
- ✓ Economical SCBA tarp, 18 oz. vinyl, 10' x 10' green side for full and red side for empty. Part No—HFET
- ✓ SCBA tarp ribbed, 18 oz. vinyl, 10' x 10' green side for full and red side for empty. Part No—HFETR
- ✓ RIT tarp, 10' x 10' 10 oz. vinyl blue tarp with "RIT" in the corners
- ✓ Triage tarp, 4 - 10' x 12' 10 oz. vinyl tarps (Red, Yellow, Green, Black) with storage bag
- ✓ Custom staging mats available



Made in the U.S.A.

# Strainers

## Floating Strainers

**Husky® Portable Containment Floating Strainers** can be used in lakes, streams, swimming pools, portable tanks and many other sources of water. Husky® strainers are designed for maximum flow and will draft in shallow water. The removable barrel can also be used as a strainer. Husky® floating strainers are a must for all fire departments.

- ✓ All aluminum 6061-T6 construction, lightweight & easy to handle
- ✓ Removable barrel can be used as a barrel strainer
- ✓ 1 1/2" - 6" sizes available, male or female threads
- ✓ Female NH (NST) threads are standard, any threads available
- ✓ Storz and Camlock fittings available
- ✓ Maximum flow
- ✓ Powder-coated NFPA Blue, other colors on request




Part No./Size	Dimensions	Weight
HFS-15	10" x 12" x 16"	8 lbs
HFS-25	10" x 12" x 16"	8 lbs
HFS-30	10" x 12" x 16"	8 lbs
HFS-40	10" x 16" x 26"	19 lb
HFS-45	10" x 16" x 26"	19 lbs
HFS-50	10" x 16" x 26"	19 lbs
HFS-60	10" x 16" x 26"	19 lbs

## Low Level Strainers

**Husky® Portable Containment Low Level Strainers** are manufactured with an all aluminum construction for lightweight durability. We use aircraft-quality 6061-T6 aluminum, no castings. Husky® strainers will meet or exceed flow rates of any other strainers on the market.

- ✓ All aluminum 6061-T6 construction, lightweight & easy to handle
- ✓ 1 1/2" - 6" sizes available, male or female threads
- ✓ Female NH (NST) threads are standard, any threads available
- ✓ 1 1/2" water transfer (jet siphon) on sizes 4" - 6"
- ✓ Storz and Camlock fittings available
- ✓ Maximum flow
- ✓ Powder-coated NFPA Blue, other colors on request



Part No./Size	Dimensions	Weight
HLLS-15	12" x 12" x 10"	7 lbs
HLLS-25	12" x 12" x 10"	7 lbs
HLLS-30	12" x 12" x 10"	7 lbs
HLLS-40	15 1/2" x 15 1/2" x 11"	11 lbs
HLLS-45	15 1/2" x 15 1/2" x 11"	11 lbs
HLLS-50	15 1/2" x 15 1/2" x 11"	11 lbs
HLLS-60	15 1/2" x 15 1/2" x 11"	11 lbs

## Power Jet Siphons



**Husky® Power Jet Siphons** are built with an all-aluminum construction for great weight savings and strength. Buy a water transfer device you can count on. Powder-coated NFPA Blue, other colors on request.

Part No./Size	Dimensions
HJS-4NH	4"
HJS-45NH	4.5"
HJS-5NH	5"
HJS-6NH	6"

## Barrel Strainers



**Husky® Barrel Strainers** are built with an all-aluminum construction for great weight savings and strength. Get high flow and quality in one package. Powder-coated NFPA Blue, other colors on request.

Part No./Size	Dimensions
HE-40NH	4"
HE-45NH	4.5"
HE-50NH	5"
HE-60NH	6"

**3 Year Warranty**

## 90° Sweeping Style Elbow



**Husky®'s all aluminum 90° Elbow** works great with our **Skinny™ Tank** and **Leading Edge™ Tank**. The elbows allow you to run hard suction hose to your Folding Frame Tank without having it take up needed space in the road you are set up on.

Part No./Size	Dimensions
HBS-25NH	2.5"
HBS-3NH	3"
HBS-4NH	4"
HBS-45NH	4.5"
HBS-5NH	5"
HBS-6NH	6"

## Hoses PVC Suction Hose, Soft Suction Hose, LDH Supply Hose, Etc.


Husky® Portable Containment offers many types of fire hose that are built with durability, flexibility and weight savings at the forefront. Made in the USA. Call for details & pricing.



# Aluminum Quick Assemble Tank

Husky® Portable Containment's Aluminum Quick Assemble AQUA Tank gives you the best of both worlds—a rigid frame AND portability. The AQUA Tank snaps together quickly and fits into its own storage bag for easy handling and compact storage. **Aqua Tank Type I** is built square with only a top rail for easier set up and lighter weight. **Aqua Tank Type II** tanks are built in a hexagon design, 6 sides, for 500-1000 gallon sizes; sizes 1500-3000 gallons are built as octagons with 8 sides. The rigid top rails give the strength for throwing hoses over the top, no hose stand needed. The frame pieces are built from 6061 aircraft-quality aluminum pipe. The corners are a slip in fit which after the liner is installed, allows the top and bottom rail pieces to lock into place. No pins or wires to fight with and **NO TOOLS NEEDED!** Easy set up—it's a snap! Husky® Aqua Tanks come standard with a 2.5" NH threaded female coupling. Aqua Tanks are available with the 10" diameter drain tubes and can be mounted for inside or outside use, just let us know.

Easy Set Up  
No Tools Needed



## AQUA Tank Type I

### Features

- ✓ All aluminum frame work, 6061-T6 1" schedule 40 aluminum pipe
- ✓ Quick release 10" diameter drain tube with easy pull-through strap
- ✓ 250-2000 gallon come standard with one drain tube
- ✓ 2500 gallon and up come standard with two drain tubes
- ✓ Storage bag
- ✓ Options: 28 oz. floor material. Special labeling. Additional drain tubes or handles are available. Threaded couplings can be installed, Storz or Camlock fittings.



### Material Options

- ✓ **Vinyls:** 22 oz. Red, Yellow, Blue, Orange, Green, White, Black, and **Lime Green**
- ✓ **EXLON®:** 22 oz. Red and Yellow

Part No.	Assembled Size	Stored Size	Weight
AT-250	3'9" x 3'9" x 30"	10" dia. x 48"	35 lbs.
AT-500	5'8" x 5'8" x 30"	12" dia. x 48"	42 lbs.
AT-1000	8' x 8' x 30"	14" dia. x 48"	61 lbs.
AT-1500	10' x 10' x 30"	14" dia. x 60"	80 lbs.
AT-2000	11' x 11' x 30"	14" dia. x 64"	87 lbs.
AT-2500	12' x 12' x 30"	17" dia. x 48"	103 lbs.
AT-3000	13' x 13' x 30"	17" dia. x 48"	113 lbs.

Husky® Portable Containment offers a lifetime warranty on all welds and welded seams on Husky® firefighting products.

For more information, read the Husky® full product warranty at [HuskyPortable.com](http://HuskyPortable.com)



## AQUA Tank Type II

- ✓ 2" NPT rigid female flange standard (other fittings available)
- ✓ 10" diameter drain tubes available upon request

### Material Options

- ✓ **Vinyls:** 22 oz. Red, Yellow, Blue, Orange, Green, White, Black, and **Lime Green**
- ✓ **EXLON®:** 22 oz. Red and Yellow
- ✓ **XR-5 8130:** 30 oz. Chemical & Fuel Resistant Black



Part No.	Assembled Size	Stored Size	Weight
ATII-100	3' x 3' x 24" high	38" x 8"	39 lbs.
ATII-250	4' x 4' x 27"	50" x 8"	47 lbs.
ATII-500	6 sides/ ea. side 38" x 34"	40" x 10"	61 lbs.
ATII-1000	6 sides/ ea. side 52" x 34"	54" x 10"	77 lbs.
ATII-1500	8 sides/ ea. side 48" x 34"	50" x 10"	85 lbs.
ATII-2000	8 sides/ ea. side 59" x 34"	61" x 12"	113 lbs.
ATII-2500	8 sides/ ea. side 63" x 34"	63" x 14"	129 lbs.
ATII-3000	8 sides/ ea. side 67" x 34"	67" x 14"	137 lbs.

# Accessories

## Drain Connectors & Clamps



### Features

- ✓ Lightweight, all aluminum construction
- ✓ Nitrile rubber gaskets to protect your sleeve
- ✓ Stores easily, takes up minimal space

### Part No.

- ✓ DM-10 (Connector)
- ✓ DC-10 (Clamp)

## Supply Line Brackets

### Features

- ✓ Sizes, 1 1/2" to 5", male or female threads, female NH (NST) threads are standard, any threads available
- ✓ Single and double supply line brackets available
- ✓ Storz and Camlock fittings available
- ✓ New and improved design includes stronger clamps and a better clamping system
- ✓ Fits any type of frame and any manufacturers' frame
- ✓ Tested to 200 PSI
- ✓ Our original "Best Product" corner mounting bracket and now a new side wall mounted design

Part No.	Weight
SLB-15 (Single)	3 lbs.
SLB-25	3 lbs.
SLB-30	4 lbs.
SLB-40	10 lbs.
SLB-45	11 lbs.
SLB-50	11 lbs.
SLB-15DBL (Double)	4 lbs.
SLB-25DBL	5 lbs.
SLB-30DBL	5 lbs.

Available on



**LIFETIME WARRANTY**

**On All Welds and Welded Seams**



## Helicopter Water Tank



- ✓ 72 and 134 gallon models
- ✓ Heavy duty 40 oz. reinforced PVC construction
- ✓ Available in potable NSF 61 approved material for drinking water
- ✓ 4" fill port allows quick filling and access to the inside of the tank if needed
- ✓ Heavy duty 1" reinforced hose with durable spigot attached
- ✓ Great for filling back packs or for drinking water (potable model)




## Decon Showers (Standard)

### Features

- ✓ Set up anywhere water is available
- ✓ 4 high-flow spray nozzles strategically placed
- ✓ 4 gallons per minute per spray nozzle at 40psi
- ✓ Additional hand-held spray nozzle with hose manually operated
- ✓ Lightweight, collapsible, includes storage bag
- ✓ Camlock connections for quick and easy assembly
- ✓ Size - 42" x 36" x 84", Pool Sizes - 5'x5'x1', 4'x4'x1' or 4'x8'x1'

### Optional

- ✓ Shower curtains for privacy
- ✓ Shower curtains come with clear vinyl ceiling for greater visibility
- ✓ Elevation grids



## Decon Pools (Any Size Available)

### Features

- ✓ Aluminum or steel folding frame type
- ✓ Self supporting type (self rising sides)
- ✓ All air wall type
- ✓ Decon shower type
- ✓ Sizes—3'x3', 4'x4', 5'x5', 4'x8', other sizes available
- ✓ Heavy duty 22 oz. PVC liners standard color blue (other colors available)



### Any Size Available

### Part No.

- ✓ Aluminum frame type: ALFDP-33, ALFDP-44, ALFDP-55, ALFDP-48
- ✓ Self supporting type: HCP-75, HCP-100, HCP-150, HCP-200
- ✓ Steel frame type: STFDP-33, STFDP-44, STFDP-55, STFDP-48
- ✓ Decon shower type: DCS-44, DCS-55

## Full Decon Shower Systems

### Features

- ✓ Set up anywhere water is available
- ✓ PVC shower, 4 shower heads, handheld sprayer
- ✓ Optional elevation grids & privacy curtains available
- ✓ Lightweight, collapsible, quick & easy assembly
- ✓ Pool sizes—5'x5'x1' & 4'x8'x1'
- ✓ Garden hose thread
- ✓ 4 nozzles
- ✓ Flow rate - 4 gallons per minute out of each nozzle

### Part No.

- ✓ Steel frame pools: STFDP-48WS & STFDP-55WS
- ✓ Aluminum frame pools: ALFDP-48WS & ALFDP-55WS
- ✓ Vinyl w/ sidewall inserts pool: DPV13-55WS





# **HUSKY**<sup>®</sup>

## Portable Containment

7202 SE International Ct, Bartlesville, OK 74006

[sales@huskyportable.com](mailto:sales@huskyportable.com)

Tel (918) 333-2000 • Fax (918) 333-2004 • (800) 260-9950

[www.huskyportable.com](http://www.huskyportable.com)

